

Web Images Maps News Shopping Gmail more ▼

[Sign in](#)



"byte packer" +register

Search

[Advanced Search](#)
[Preferences](#)

Web Books

Results 1 - 30 of about 132 for "[byte packer](#)" +[register](#). (0.31 seconds)

Did you mean: "[byte packed](#)" +register

[\[CSDb\] - Mega Byte Packer \(1990\)](#)

Here you can find all you need to know about Mega Byte Packer. ... [Log in](#) · [Register an account](#) · [Browse CSDb](#) · [Help & documentation](#) · [Fun stuff ...](#)

[noname.c64.org/csdb/release/?id=46867](#) - 13k - [Cached](#) - [Similar pages](#)

[\[CSDb\] - Mega Byte Packer \(1990\)](#)

[Log in](#) · [Register](#)

[an account](#) · [Browse CSDb](#) · [Help & documentation](#) · [Fun stuff & statistics](#) · [The forums](#) · [Available ...](#) [Mega Byte Packer Download : ...](#)

[noname.c64.org/csdb/release/viewpic.php?id=46867](#) - 12k - [Cached](#) - [Similar pages](#)

[More results from noname.c64.org »](#)

[Systems and methods for removing intrapacket gaps from streams of ...](#)

Memory 550 includes a FIFO buffer 710 , a write pointer register 720 , and a Byte packer 1050 may operate upon the packets to remove intrapacket gaps. ...

[www.freepatentsonline.com/6952738.html](#) - [Similar pages](#)

by B Gaudet - 2005 - [Related articles](#) - [All 3 versions](#)

[Testing Hardware Components To Detect Hardware Failures - Patent ...](#)

Aug 7, 2008 ... Control decoder 432 instructs register files 420 and 438 to write of the ... a next entry register file 556 , a byte packer 560 , a byte ...

[www.freepatentsonline.com/y2008/0189581.html](#) - [Similar pages](#)

[More results from www.freepatentsonline.com »](#)

[A Novel CAVLC Architecture for H.264 Video Encoding at High Bit-Rate](#)

final ES, a byte-packer, and a NAL unit encoder as illustrated. in Fig.3. subsequent pipe register are generated based on the state. As ...

[ieeexplore.ieee.org/iel5/4534149/4541329/04541460.pdf?isnumber=](#)

[4541329&prod=CNF&arnumber=4541460&arSt...Cheol...](#) - [Similar pages](#)

[OCRed document](#)

register and the mask register to overwrite selectively ... First, a hardware byte packer for the Boot. ROM is not necessary, as the packing can be done by ...

[ieeexplore.ieee.org/iel2/943/7003/00282891.pdf?arnumber=282891](#) - [Similar pages](#)

by D Sanders - [Cited by 1](#) - [Related articles](#)

[More results from ieeexplore.ieee.org »](#)

[\[PDF\] GRI-909/GRI-99 Simulator Usage 31-May-2008](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

byte packer buffer. GR1..GR6. 16. general registers 1 to 6. XR. 16. index register (GRI-99 only). BOV. 1. bus overflow (MSR<15>) ...

[simh.trailing-edge.com/pdf/gri_doc.pdf](#) - [Similar pages](#)

[Systems and methods for removing intrapacket gaps from streams of ...](#)

The system includes handshake logic, a first multiplexer, a byte packer, Memory 550 includes a FIFO buffer 710, a write pointer register 720, ...

[www.patentstorm.us/patents/6952738-description.html](#) - [Similar pages](#)

Network intermediate system with message passing architecture - US ...

The bus address register 312 is driven by the address in on line 301. The Data from the byte packer 420 is supplied to the packing cell buffer 423. ...

www.patentstorm.us/patents/5592622/description.html - [Similar pages](#)

[More results from www.patentstorm.us »](#)

Systems and methods for removing intrapacket gaps from streams of ...

a byte packer configured to remove the gaps from the multiplexed packets. ... a write pointer register configured to store a plurality of the write stream ...

www.palmerpatent.com/CL719/gateway_interface_program.../6952738_intrapacket_gaps_streams_different_bandwidths.ht... - 64k - [Cached](#) - [Similar pages](#)

[intrapacket_gaps_streams_different_bandwidths.ht...](#) - 64k - [Cached](#) - [Similar pages](#)

Testing hardware components to detect hardware failures invention

Comparison portion 514 includes a detector decoder 548, a control decoder 552, a byte register file 576, a next entry register file 556, a byte packer 560, ...

www.freshpatents.com/Testing-hardware-components-to-detect-hardware-failures-dt20080807plan20080189581.php?type... - 48k - [Cached](#) - [Similar pages](#)

[failures-dt20080807plan20080189581.php?type...](#) - 48k - [Cached](#) - [Similar pages](#)

Method and system for efficiently using buffer space invention

SDE 319 includes a byte packer function that takes unaligned or less than 8 ... [0054]

Register interface 312 provides host 100 access to plural system 102 ...

www.freshpatents.com/Method-and-system-for-efficiently-using-buffer-space-dt20060302plan20060047868.php?type... - 39k - [Cached](#) - [Similar pages](#)

[dt20060302plan20060047868.php?type...](#) - 39k - [Cached](#) - [Similar pages](#)

Details and datasheet on part: CY7C924ADX-AI

Elasticity Buffer MUX Transmit Formatter Pipeline Register Parity Checker Byte- Packer Receive Control State Machine CONTROL AM* TXEN* RXEN* TXSTOP* TXRST* ...

www.digchip.com/datasheets/parts/datasheet/115/CY7C924ADX-AI.php - 30k -

[Cached](#) - [Similar pages](#)

Details and datasheet on part: CY7C924ADX

Elasticity Buffer MUX Transmit Formatter Pipeline Register Parity Checker Byte- Packer

CONTROL AM* TXEN* RXEN* TXSTOP* TXRST* RXRST* RFEN TXBISTEN* RXBISTEN* ...

www.digchips.com/datasheets/parts/datasheet/115/CY7C924ADX.php - 30k -

[Cached](#) - [Similar pages](#)

[PS] TURBOchannel Interface ASIC Functional Specification

File Format: Adobe PostScript - [View as HTML](#)

return the value of the incomplete word in the byte-packer. Reads to this register will not affect. the state of the receive FIFO, including the head and ...

ftp://ftp.netbsd.org/pub/NetBSD/misc/dec-docs/TclA_spec1.0.ps.gz - [Similar pages](#)

by J Crapuchettes - [Cited by 2](#) - [Related articles](#) - [All 26 versions](#)

ARTeam Ezine Number1

Mar 7, 2007 ... stolen-byte packer · armadillo endian · ollydbg imprec download Next thing is to disable Write Protection in cr0 register so we can ...

www.scribd.com/doc/4585/ARTeam-Ezine-Number1 - 642k - [Cached](#) - [Similar pages](#)

ARTeam Ezine Number1

stolen-byte packer · armadillo endian · ollydbg imprec download Next thing is to disable Write Protection in cr0 register so we can write wherever we ...

www.scribd.com/doc/4585/ARTeam-Ezine-Number1?query2=Invalid%20Status%200x248%20solid - 642k - [Cached](#) - [Similar pages](#)

[Invalid%20Status%200x248%20solid](#) - 642k - [Cached](#) - [Similar pages](#)

[More results from www.scribd.com »](#)

hp2100 defs.h: HP 2100 simulator definitions Copyright (c) 1993 ...

... 1st cycle delay */ uint32 packer; /* byte-packer holding reg */ } ... base page fence */ /* Map violation register */ #define MVI_V_RPR 15 /* must be ...

www.gnu-darwin.org/www001/ports-1.5a-CURRENT/emulators/simh/work/HP2100/hp2100_defs.h - 17k - [Cached](#) - [Similar pages](#)

[PS] [TURBOchannel Interface ASIC Specification](#)

File Format: Adobe PostScript - [View as HTML](#)

dress this will return the value of the incomplete word in the byte-packer. Reads to this register. will not affect the state of the receive FIFO. ...

ftp://ftp.wu-wien.ac.at/pub/lib/info/tci_spec05b.ps.gz - [Similar pages](#)

[Network intermediate system with message passing architecture ...](#)

The bus address register 312 is driven by the address in on line 301. The path includes a byte packer 420 which receives solicited data from ...

www.patentgenius.com/patent/5592622.html - 179k - [Cached](#) - [Similar pages](#)

[Method and circuit for fetching a 2-D reference picture area from ...](#)

an address register for holding an initial memory address corresponding to a and the 9-bit DC coefficient is forwarded to byte packer circuit 603 to ...

www.patentgenius.com/patent/5900865.html - 85k - [Cached](#) - [Similar pages](#)

[More results from www.patentgenius.com »](#)

[\(WO/1996/009718\) COMPRESSION AND DECOMPRESSION OF DOCUMENTS AND ...](#)

Symbolic substitution circuitry 16 presents its output to byte packer 18, to a three-bit quantization mode register within quantization processor 62, ...

www.wipo.int/pctdb/en/wo.jsp?IA=US1995012050&DISPLAY=DESC - 180k -

[Cached](#) - [Similar pages](#)

[\(WO/1996/035988\) BRIDGE ROUTER FOR HIGH PERFORMANCE SCALABLE ...](#)

The bus address register 312 is driven by the address in on line 301. coupled to the byte packer 610 and across line 611 into the packing cell buffers. ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO1996035988&WO=1996035988&DISPLAY=DESC - 222k - [Cached](#) - [Similar pages](#)

[More results from www.wipo.int »](#)

[Issue #17 ##### November 15, 1998 ...](#)

A system with a 1-MHz 3-register 8-bit processor and 64 kilobytes of to have a sequence cruncher on top of an RLE (or equal-byte) packer or linker. ...

www.fhd2.com/fridge/chacking/c=hacking17.txt - 263k - [Cached](#) - [Similar pages](#)

[PDF] [200-MBaud HOTLink® Transceiver](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This register accepts information directly from the Transmit. FIFO, the Transmit Input Register, the 10/8 Byte-Packer, or. from the Transmit Control State ...

pdf.dzsc.net/cn/88888/20071109152967.pdf - [Similar pages](#)

[PDF] [ST-Realizer-II user manual \(for ST62 & ST7 8-bit MCUs\)](#)

File Format: PDF/Adobe Acrobat

register is loaded with a value between 0 and 255 that reflects the temperature differential 8-bit to 1-byte Packer Symbol. Enables you to construct ...

www.st.com/stonline/books/pdf/docs/5113.pdf - [Similar pages](#)

[C=Hacking #17](#)

Although it is possible for programs to accidentally reconfigure the SCPU, it is awfully unlikely, since the enable register, which switches the hardware ...

unusedino.de/ec64/technical/c=hacking/ch17.html - 272k - [Cached](#) - [Similar pages](#)

[PDF] [DigitalSemiconductor SA-110Microprocessor EvaluationBoard ...](#)

File Format: PDF/Adobe Acrobat

Ethernet Plug-and-play Register

Configuration Sequence 5–8. 5–4. Ethernet Plug-and-play Register Initial Values .

...

www.renan.org/ARM/doc/sa110em.pdf - [Similar pages](#)

[PDF] WWW.IC-ON-LINE.CN --- Free DataSheet Search and Download Site.

File Format: PDF/Adobe Acrobat - [View as HTML](#)

FIFOs) or as a pipeline register extender. The FIFO configura- to be driven as a pipeline register and RXEN is assumed to be driven by a ...

www.ic-on-line.cn/IOL/datashee/cy7c9689a_598108.pdf - [Similar pages](#)

[Systems and methods for removing intrapacket gaps from streams of ... - Google Patents Result](#)

US Pat. 6952738 - Juniper Networks, Inc.

Byte packer 540 may include conventional byte packing mechanisms that process ... Memory

550 includes a FIFO buffer 710, a write pointer register 720, ...

www.google.com/patents?id=HO0TAAAAEBAJ

Did you mean to search for: ["byte packed" +register](#)

1 2 [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)